DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : AM - II

Serial No. 2686

Test Booklet Series



TEST BOOKLET

AYURVEDIC MEDICAL OFFICER
PAPER – II

Maximum Marks: 100

: INSTRUCTIONS TO CANDIDATES :

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET **DOES NOT** HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A**, **B**, **C** OR **D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- 4. This Test Booklet contains 100 items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. There will be negative markings for wrong answers. 25 percent of marks allotted to a particular item (question) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
- After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet issued to you. You are allowed to take with you the candidate's copy/second page of the Answer Sheet along with the Test Booklet after completion of the examination for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

Which of the following pair is true? (B) Jwara 1. Swedana-Stambhana (A) (C) Raktpitta Langhana-Snehana (B) (D) Kaas 🕌 (C) Snehana-Stambhana 6. "Prakriti Vighaat" Chikitsa is used in: (D) Rukshana-Swedana (A) Prameha Pidika 2. According to Acharya Charaka, Madhumeha (B) "Lashuna Ksheerpaaka" is used in Kandu (C) which of the following disease? (D) Krimi Haradyaroga (A) (B) Gulma 7. Best medicine for "Kushtha" Vyadhi: (C) Vatvyadhi (A) Vacha (D) Vatrakta Ativisha (B) In which disease, Acharya Charaka 3. (C) Khadir use "Takrarishta"? Haridra (D) (A) Arsha Chikitsa "Shadadharan Churna" is used by 8. (B) Gulma Chikitsa Acharya Sushruta in which disease? (C) Udarrog Chikitsa Yakshma Chikitsa (D) Yakshma (A) Urustambha (B) Which of the following is specially 4. used in Rajyakshama treatment? Vaatvyadhi (C) (A) Varah Maansa (D) None of these Gavya Maansa 9. "Pinda Taila" is used by Acharya (C) Aja Maansa Charaka in: (D) All of these (A) Grahini "Pratimarga Haranam" Chikitsa is 5. Vaatrakta (B) used in which of the following (C) Kshatasheena disease? Swasroga (D) (A) Yakshma

10.	in Ma	adatyaya, if Madhya is given then		(C)	Uttam	
	it is included in which type of treatment?			(D)	None of these	
	(A) Hetu Vipreet Chikitsa (B) Vyadhi Vipreet Chikitsa		15.	Number of Basti netra dosha according to Acharya Charaka are:		
	(C)	Hetu Vipreet Arthkaari		(A)	6	
	(D)	Hetu Vyadhi Vipreet Arthkari Chikitsa		(B) (C)	11 10	
1 1.	Acc	ording to Acharya Charaka, total		(D)	8	
•••		ber of Karma Basti are :	16.	Yuki	aratha basti is :	
	(A)	20		(A)	Niruha Basti	
	(B)	30		(B)	Maatra Basti	
	(C)	10		(C)	Anuvaasana Basti	
	(D)	15		(D)	Sneha Basti	
12.	Acc	ording to Acharya Charaka	17.	Anu	vaasan Basti is used :	
	"Aar	rdha Chikitsa" is :		(A)	Before meal	
	(A)	Rakta Mokshana		(B)	Just after meal	
	(B)	Vaman Chikitsa		(C)	Both of these	
	(C)	Basti Chikitsa		(D)	None of these	
	(D)	Siravedhana	18.	Acc	ording to Acharya Charakä,	
13.	Bha	utik Sangathan of Virechan		leng	th of Uttar Basti Netra in female :	
	Drav	vya is :		(A)	5 Angula	
	(A)	Prathvi + Jal		(B)	6 Angula	
	(B)	Agni + Jal		(C)	8 Angula	
	(C)	Prathvi + Agni		(D)	10 Angula	
	(D)	Agni + Vayu	19.	Niru	ha Basti Pratyagamana Kaal is :	
14.	Whi	ich sneha maatra will cause		(A)	1 Muhuruta	
	"Manda Vibhransh"?			(B)	2 Muhuruta	
	(A)	Heen		(C)	10 Muhuruta	
	(B)			(D)	5 Muhuruta	

- 20. According to Acharya Sushruta Shirovirechanik nasya madhyam matra is:
 (A) 4 drops
 (B) 5 drops
 (C) 8 drops
 (D) 6 drops
- 21. Swedavaha Srotas Mool are:
 - (A) Medha and Jangha
 - (B) Medha and Lomkoopa
 - (C) Asthi and Sandhi
 - (D) Snayu and Twaka
- 22. Proper time for applying Tikshanjana is:
 - (A) Madhyana
 - (B) Purvahana
 - (C) Ratri
 - (D) Any time
- 23. Adanakal consists of which Ritus?
 - (A) Shishir, Basant, Grisham
 - (B) Shishir, Sharad, Grisham
 - (C) Varsha, Sharad, Hemant
 - (D) Varsha, Basant, Hemant
- 24. According to Charaka Sandhishethalya is lakshana of :
 - (A) Medha kshaya
 - (B) Asthi kshaya
 - (C) Majja kshaya
 - (D) Shukra kshaya
- 25. Bhayaja Atisara and Shokaj Atisara resembles with the symptoms of :
 - (A) Pittaj atisara

- (B) Kaphaj atisara
- (C) Amaj atisara
- (D) Vataj atisara
- 26. The Satmya due to abhyasa is known as:
 - (A) Ritu satmya
 - (B) Desh satmya
 - (C) Kala satmya
 - (D) Oka satmya
- 27. Ahara, Nidra, Brahmacharya are:
 - (A) Trividha Bala
 - (B) Triskanda
 - (C) Trayoupastambha
 - (D) Trividha Esanas
- 28. Anusanga Vyadi is:
 - (A) Rajayakshama
 - (B) Prameha
 - (C) Küshta
 - (D) Jwara
- 29. Swabhavoparama Siddhanta is described in :
 - (A) Ch. Sut. 16
 - (B) Ch. Sut. 12
 - (C) Ch. Sut. 24
 - (D) Ch. Sut. 23
- 30. Sound intolerance is due to:
 - (A) Majja Dhatu Kshaya
 - (B) Medho Dhatu Kshaya
 - (C) Asthi Dhatu Kshaya
 - (D) Rasa Dhatu Kshaya

31.	"Gyansayabhavo Bhav Ev Ch" is:		(C) Kushta
0,	(A) Manasya Guna		(D) Urustambha
		37.	
	(C) Manasya Lakshna		(A) Vatsanabha
	(D) Atma Guna		(B) Shirisha
32.	According to Charaka in a pregnant		(C) Swarna
- · · · ·	woman "Spandana" occurs in :		(D) Ghrita
	(A) Second Month	38.	Neshtaki Chikitsa was firs
	(B) Third Month		described by:
	(C) Fourth Month		(A) Vagbhata
	(D) Fifth Month		(B) Sushruta
33.	How many chapter are in Charak	٠	(C) Bhavamisra
	Nidan Sthan?		(D) Charaka
	(A) 8 (B) 16 (C) 10 (D) 12	39.	According to Charaka Anja Pramana of Rasa Dhatu is: (A) 10 (B) 8
34.	Triskandha is :		(C) 6
	(A) Hetu, Linga, Aushad		(D) 9
	(B) Vata, Pitta, Kapha(C) Hetu, Dosha, Dravya(D) Satva, Atma, Sharir	40.	Which disorder is produced by Trishna Vega Dharna? (A) Akshi Roga
35.	"Ardita" Vyadhi is related with:		(B) Manya Stambha
	(A) Shakha		(C) Badhirya
	(B) Madhyam Roga Marga	-	(D) Ardit
	(C) Abhyantar Roga Marga	41.	Maanas Roga Chikitsa is :
	(D) None of these		(A) Dhairya
36.	Astakatvar taila is indicated mainly		(B) Smriti
	in:		(C) Samadhi
	(A) Raktapitta		(D) All of these
	(B) Jwara		, ,
JV -	- 2B/11 (5)	(Turn ove

42.	Atat	vaabhenivesha treatment is	47.	Нає	emophilia B is due to the
	give	n in which of the following		defi	ciency of :
	chap	oter?		(A)	Factor VIII
٠.	(A)	Unmaad Chikitsa		(B)	Factor IX
	(B)	Apasmaar Chikitsa		(C)	Factor VII
	(C)	Murchha Chikitsa		(D)	Factor X
	(D)	Chhardi Chikitsa	48.	Adv	erse effect of Ethambutol :
43.	Bha	ishajya Kaal in Apaan Vaya	·	(A)	Optic Nerve damage
	Vigu	ıntaa :		(B)	Hyperuricemia
	(A)	Aahara Purva	:	(C)	Hypersensitivity
	(B)	Aahara Madhya		(D)	All of these
	(C)	Pratah Kaala	49.	Hea	t regulation centre is located in :
	(D)	Aahara Aanta		(A)	Hypothalamus
44.	ldea	l treatment for Krisha Purusha :		(B)	Thalamus
•	(A)	Vrahana		(C)	Pons
•	(B)	Laghu, Santarpana		(D)	Medulla
	(C)	Guru, Aptarpana	50.	Whi	ch of the following disease is
	(D)	None of these			er borne disease ?
45.	Sirav	vedhana position in Plihaudara :		(A)	Malaria
	(A)	Jaanu		(B)	Dengue
	(B)	Shankha		(C)	Cholera
	(C)	Karpura Sandhi		(D)	None of these
	(D)	Vankshana	51.	Whi	ch Acharya consider Kakunaka
46.	Hod	gkin disease is related with :		as D	antoudabheda janya vyadhi ?
	(A)	Bones		(A)	Charaka
	(B)	Thyroid gland		(B)	Vagbhata
	(C)	Pineal Body		(C)	Kashayapa
	(D)	Lymph nodes		(D)	Sushruta
JV-	2B/1	1 (6)		Contd.

52.	Sun	set sign is found in :	57.	Whic	ch of the following is included in
	(A)	Encephalitis	• • •		sweda according to Acharya
	(B)	Meningitis			raka ?
	(C)	Hydrocephalus		(A)	Upnaaha
	(D)	Epilepsy		(B)	Krodha
				(C)	Awgaahan
53.		nber of teeth in primary dentition		(D)	Bahupaan
	are:		58.		ha" is the anupaan of :
	(A)	24	•	(A)	Ghrita
	(B)	25	•	(B)	Majja
	(C)	27		(C)	Taila
	(D)	20		(D)	Vasa
54.	Chile	d crawl in :	59.		chan Karma is having number of
	(A)	10 month	•		in case of Uttam Shudhi?
	(B)	11 month		(A)	30
	(C)	12 month		(B)	20
	(D)	13 month		(C)	10
				(D)	15
55.		enza vaccines is used in children :	60.		ber of Basti vyapaad according
	(A)	< than 6 month			charya Charaka :
	(B)	> 6 month		(A)	10
	(C)	Both of these		(B)	12
	(D)	Neonates		(C)	8
56.	Acc	ording to Acharya Charaka		(D)	25
		nber of Saagni sweda are :	61.		ch drug is used by Acharya
	(A)	10			raka for Punsvan Karma ?
	(B)	12		(A)	Kumari
	(C)	13		(B)	Shrengaveer
	(D)	14		(C)	Vatashringa
	(0)	וק	•	(D)	Kapikachhu
JV-	- 2B/1	11	(7)		(Turn over)

62.	Krisł	nna Kanchuki sarpa dhoom is	67.	Asta	ing Ghrita is indicated for:
	used	l in:		(A)	Medhavradhi
	(A)	Garbha Strava		(B)	Nidravradhi
	(B)	Garbhapata	.1) (*)	(C)	Agnivradhi
	(C)	Garbhasangha	• .	(D)	Malavradhi
	(D)	Modhagarbha	68.	Ana	maka is the disease of :
63.	Norr	nal value of Amniotic fluid is :		(A)	Udara Roga
	(A)	300-400 ml		(B)	Guda Roga
	(B)	400-500 ml		(C)	Mutra Roga
	(C)	600-800 ml		(D)	Vidhradi Roga
	(D)	1000 ml		, ,	
64.	Ferti	lization in human beings usually	69.		I number of varieties of Bal
	occu	ır in :		(A) _.	-
	(A)	Uterine Fundus		(B)	13
	(B)	Isthamus of Fallopian tube		(C)	9
	(C)	Interstitial Portion of fallopian	•	(D)	24
		tube	70		
	(D) Ampulla of fallopian tube		70.	According to Kashypa Raj Taila is indicated in :	
65.	God	ell's sign is :			
	(A)	Softening of cervix		(A)	Twaka Roga
	(B)	Softening of lower part of body		(B)	Pratishyaya
		of uterus		(C)	Fakka Roga
	(C)	Asymmetrical growth of uterus		(D)	Kshiralsaka
	(D)	Contraction of uterus	71.	Whi	ch dosha is Vitiated in Karna
66.	A ch	ild upto 2 years is known as :		Bha	dhirya?
	(A)	Anadha		(A)	Vata
	(B)	Kshiranadha		(B)	Pitta
	(C)	Kshripa		(C)	Vata-Kapha
	(D)	O) None of these		(D)	Tridosha
JV -	- 2B/1	1	(8)		Contd.

in: (A) Trachoma (B) Glaucoma (C) Both of these (D) None of these (D) Retina (A) Retina (B) Optic Disc (C) Cornea (D) None of these (D) None of these (D) None of these (D) Retina (E) Optic Disc (E) Optic Disc (E) Cornea (E) Corne					
(A) Retina which yoni vyapada? (B) Optic Disc (A) Vandhya (C) Cornea (B) Shandi (D) None of these (C) Udavarta (D) Putraghni 74. Which of the following disorder is fatal if not treated? (A) Ardhavabhedhak (B) Ananyatovata (C) Anantavata (B) Anartva and Astanya (D) Shankhak (C) Vaman and Kasa (D) Shankhak (C) Vaman and Kasa (D) Anartva and Avedna 75. The test used for comparing the degree of deafness in two ears: (A) Snellen's Test (B) Schowabach's Test (C) Rinnes Test (C) Putraghani (D) Vamini 76. According to Sushruta, in which month pregnant women should enter in Sutikagraha? (A) 8th month (B) 9th month (C) Parisharvi		72.	in : (A) Trachoma (B) Glaucoma (C) Both of these	n 77.	(B) 4 (C) 6
fatal if not treated? (A) Ardhavabhedhak (B) Ananyatovata (C) Anantavata (D) Shankhak 75. The test used for comparing the degree of deafness in two ears: (A) Snellen's Test (B) Schowabach's Test (C) Rinnes Test (D) Weber's Test (D) Weber's Test (C) Rinnes Test (D) Weber's Test (C) Rinnes Test (D) Weber's Test (D) Weber's Test (C) Rinnes Test (D) Weber's Test (E) Substruta, in which month pregnant women should enter in Sutikagraha? (A) 8 th month (B) 9 th month (C) 10 th month (C) 10 th month (C) Parisharvi			(A) Retina(B) Optic Disc(C) Cornea(D) None of these		which yoni vyapada ? (A) Vandhya (B) Shandi (C) Udavarta
75. The test used for comparing the degree of deafness in two ears: (A) Snellen's Test expelled out from the yoni: (B) Schowabach's Test (A) Udavarat (C) Rinnes Test (B) Vipluta (D) Weber's Test (C) Putraghani 76. According to Sushruta, in which month pregnant women should enter in Sutikagraha? (A) 8th month (B) 9th month (B) 9th month (C) 10th month (C) Parisharvi		74.	fatal if not treated ? (A) Ardhavabhedhak (B) Ananyatovata (C) Anantavata		Common symptoms of all the Pradara is: (A) Angamarda and Vedna (B) Anartva and Astanya (C) Vaman and Kasa
month pregnant women should enter in Sutikagraha? (A) 8 th month (B) 9 th month (C) 10 th month (B) Sussilitata, in which the second and	· · · · · · · · · · · · · · · · · · ·	75.	degree of deafness in two ears: (A) Snellen's Test (B) Schowabach's Test (C) Rinnes Test		In which yoni vyapad, shukra is expelled out from the yoni: (A) Udavarat (B) Vipluta
JV = 2B/11 (9) (Turn over)			month pregnant women should enter in Sutikagraha? (A) 8 th month (B) 9 th month (C) 10 th month (D) 7 th month	81.	Agnikarma is contraindicated in which type of Bhagandara? (A) Shataponaka (B) Ustagriva (C) Parisharvi (D) Unmargi

82.	-	87.	Which one of the following is Netra	
	to Sushruta:	· .	Roga ?	
	(A) 6		(A) Alaji	
	(B) 8		(B) Chipa	
	(C) 10		(C) Vidalak	
	(D) 12		(D) Deeptai	
83.	Rule of nine is related with:	88.	Hat Adhimantha is :	
	(A) Oedema		(A) Sadhya	
	(B) Bum	•	(В) Үаруа	
	(C) G. B. Syndrome		(C) Asadhya	
•	(D) Measurement of Height of Neonates		(D) Krichha Sadhya	
84.	Murphy's sign found in :	89.	Which of the following is Danta-	
U-7.	(A) Acute Peritonitis		moolgat Roga ?	
	(B) Acute Pancreatitis		(A) Shitad	
	(C) Acute Cholecystitis		(B) Vardhan	
:- *		•	(C) Shoshir	
÷	(D) Acute Appendicitis		(D) All of these	
85.	The condition in which store are present in Gall Bladder is known as:	90.	Dhoomayan is the clinical feature of :	
	(A) Cholecystitis		(A) Pratishyaya	
	(B) Cholecystectomy		(B) Bhranshthu	
	(C) Cholelithiasis		(C) Nasadipta	
	(D) Cholecystomy	•	(D) Chvathu	
86.	Total number of Netra Patal described by Sushruta:	91.	What is the name of First Chapter of Sushruta Samhita Sutrasthana?	
	(A) 4		(A) Dirghajivitiya Adhyaya	
	(B) 5		(B) Vedotapatti	
	(C) 6		(C) Ayushkamya	
	(D) 7		(D) Yogya Sutraya	
JV -	- 2B/11 (10))	Contd.	

	ka ?	/m.\	-
(A)	Savarika	(D)	5
(B)	Samudrika 97.	Whi	ich of the following is Rakta-
(C)	Mushika	stan	nbhan Kriya ?
(<u>D</u>)	Kapila	(A)	Dahan and Pachan
Tota	I number of Vranaunkrama	(B)	Badhan and Patan
		(C)	Vimlapan and Avasechan
	6	(D)	Raktamokshan and Vishravan
(B)	27	Keh	arsutra Nirman Vidhi has been
(C)	36		cribed in :
(D)	60	(A) _.	Sushruta Samhita
Acc	ording to Sushruta Cheena	(B)	Charaka Samhita
Band	dha is used at :	(C)	Astang Sangraha
(A)	Apanga Pradesh	(D)	Chakraduta
(B)	Lalat Pradesh	Acc	ording to Vagbhata which one of
(C)	Ura Pradesh		following is Shastrakarma?
(D)	None of these		Vivarna
		(B)	Kuttan
		(C)	Nirghatan
` '		(D)	Bhajan
		. Acc	ording to Sushruta types of Arsha
(D)	Shalaka	are	;
Type	es of Kshara according to	(A)	4
		(B)	5
(A)	2	(C)	6
(B)	3	(D)	7
	(A) (B) (C) (D) Total accord (A) (B) (C) (D) Accord (A) (B) (C) (D) Which (A) (B) (C) (D) Type Sush (A)	(A) Savarika (B) Samudrika (C) Mushika (D) Kapila Total number of Vranaupkrama according to Acharya Sushruta: (A) 6 (B) 27 (C) 36 (D) 60 According to Sushruta Cheena Bandha is used at: (A) Apanga Pradesh (B) Lalat Pradesh (C) Ura Pradesh (D) None of these Which one of these is Pradhantum Yantra? (A) Kankamukha (B) Hasta (C) Nakha (D) Shalaka Types of Kshara according to Sushruta: (A) 2	(A) Savarika (B) Samudrika (C) Mushika (D) Kapila (D) Kapila (E) Van According to Acharya Sushruta (C) (A) According to Sushruta Cheena (B) Bandha is used at: (C) (A) Apanga Pradesh (C) Ura Pradesh (C) Ura Pradesh (D) None of these (A) Which one of these is Pradhantum (B) C) Van Kankamukha (C) Nakha (C) Nakha (D) Shalaka (C) Nakha (D) Shalaka (D) C) (C) C) (C) C) (C) C) (C) C)

SPACE FOR ROUGH WORK