DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

Test Booklet Series



TEST BOOKLET

Serial No. _

3553

HOMOEOPATHIC MEDICAL OFFICER
PAPER -- I

Time Allowed : 12 Hours

Maximum Marks : 100

T. B. C.: HM - 1/17

: INSTRUCTIONS TO CANDIDATES :

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACES IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- 4. YOU ARE REQUIRED TO FILL UP & DARKEN ROLL NO., TEST BOOKLET / QUESTION BOOKLET SERIES IN THE ANSWER SHEETS AS WELL AS FILL UP TEST BOOKLET / QUESTION BOOKLET SERIES AND SERIAL NO. AND ANSWER SHEET SERIAL NO. IN THE ATTENDANCE SHEETS CAREFULLY. WRONGLY FILLED UP ANSWER SHEETS ARE LIABLE FOR REJECTION AT THE RISK OF THE CANDIDATE.
- 5. This Test Booklet contains 100 items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 7. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet.
- 8. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
- 9. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet issued to you. You are allowed to take with you the candidate's copy / second page of the Answer Sheet along with the Test Booklet, after completion of the examination, for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

- 1. A patient presents with foreign body sensation in eyes with swollen knee joint after a leisure trip. The most probable diagnosis is:
 - (A) Sarcoidosis
 - (B) Reiter's Disease
 - (C) Bechet's Disease
 - (D) SLE
 - Two most important tests to be done in a comatose patient with blood glucose of 750mg/dl will be:
 - (A) Serum Creatinine and Blood pH
 - (B) CSF examination and Blood urea
 - (C) Blood pH and Serum sodium
 - (D) Serum Creatinine and CSF examination
 - 3. Which of the following is the best localizing study for parathyroid adenoma?
 - (A) CT Scan
 - (B) MRI Scan
 - (C) PET Scan
 - (D) Sestamibi Scan
 - 4. Which of the following is the MOST common presentation of Neurocysticercosis?
 - (A) Epilepsy
 - (B) Focal neurological deficits

- (C) Raised intracranial pressure
- (D) Signs of meningeal irritation
- 5. Sickle cell anemia leads to the resistance towards:
 - (A) P. Falciparum
 - (B) P. Ovale
 - (C) P. Malariae
 - (D) P. Vivax
- A patient presents with Thrombocytopenia, eczema and recurrent infection. The most probable diagnosis is:
 - (A) Chediak-Higashi Syndrome
 - (B) Wiskott-Aldrich Syndrome
 - (C) Job's syndrome
 - (D) Bruton's Agammaglobulinemia
- 7. ECG is poor in detecting ischemia in areas supplied by which of the following vessels?
 - (A) Left Anterior Descending
 - (B) Left Circumflex
 - (C) Left Coronary Artery
 - (D) Right Coronary Artery
- 8. Round Pneumonia is seen with:
 - (A) Streptococcal Pneumonia
 - (B) Kerosene oil aspiration
 - (C) Lung cancer

(2)

(D) Mendelson syndrome

9. Bronchial asthma is best diagnosed (C) Adenocarcinoma of lung by: Carcinoma oesophagus (A) Dyspnea and cough The following is the least useful (B) FEV1 values investigation in multiple myeloma: Demonstration of reversible obstruction (A) ESR (D) Normal FEV1 values (B) X-ray 10. Pulmonary hypertension in COPD is (C) Bone scan due to all except: (D) Bone marrow biopsy (A) Hypoxia A 60 year old man has h/o IHD and (B) Pulmonary vasoconstriction atherosclerosis. He presents with abdominal pain and maroon stools. (C) High lung volume the likely diagnosis is: (D) Bronchoconstriction (A) Acute intestinal obstruction The Diuretic Phase of Acute Renal (B) Acute mesenteric ischemia Failure typically begins after: (C) Peritonitis 1st dav (A) (D) Appendicitis 3rd day (B) 'Fir tree' type of distribution is seen 14th day (C) in: , (D) 28th day (A) Pityriasis Rosea 12. Disease that does not occur in the (B) Psoriasis kidney after renal transplant is: (C) Measles (A) Alport syndrome Secondary syphills (D) (B) Amyloidosis Most characteristic feature of lichen 17. (C) Good Pasteur's syndorme planus is: Thinning of nail plate is most Diabetic nephropathy (D) common 13. Hyperkeratosis of palm and sole is (B) Non-scarring alopecia seen in: (C) Violaceous lesion on skin and (A) Carcinoma colon mucous membrane Hepatoma Wickham striae (D)

18.	Folie a deux is see	en in :		Code	es:	ĺ	H III	IV
	(A) Hysteria				(A)	2	3 4	1
	(B) Depression				(B)	3	4 2	1
	(C) OCD				(C)	4	1 2	3
	(D) Paranoid				(D)		2 4	
19.	Match the following	g:			(5)	•	<u> </u>	v
	List - I	List – II	21.	In r	najority	the	com	monest
	(Signs)	(Diseases)		endo	metrial pa	attern	in DUE	3 is :
(l)	Double Density sign ((A)	Normal			
		effusion		(B)	Hyperpl	astic	with	Swiss-
(II)	Auenbrugger's sign (2	Aortic regurgita- tion			cheese a			
(111)	Vitum's sign (3	3) Mitral stenosis		(C)	Non-secr	etory		
(iV)	Doroziez's sign (4	4) Tricuspid regur- gitation			Atropic	Ť		
	Codes: I	II III IV	22.	The	causes	of dy	/spare	unia in
	(A) 2	1 4 3		endo	metriosis	is:		
	(B) 4	3 1 2		(A)	Fixed Ref	trover	ted ute	rus
	(C) 1	4 2 3			Prolapse			*
	(D) 3	1 4 2			·		·	
20.	Match the following] :			Cervical i	_	nai vai	lit endo-
	List – 1	List – II			metriosis			
(i)		1) Unstable Angina		(D)	None of ti	he abo	ove	
(11)	is Demonstrate (6	ON 1411-11-11-1	23.	All are	e causes	of pri	mary a	menorr-
(II)	Brugada's (2 syndrome is	2) Middle Lobe Bronchiectasis	•	hoea	except :	·	•	
	associated with	Diolicillectasis			Mullerian	agene	eje.	
(111)		3) Right Bundle				_		
. ,	syndrome	Branch Block		(B)	Hypo-pitu	litarisr	n	
(IV)	Wellen's syndrome (4	4) Spurious		(C)	Chronic a	n-ovu	lation	
	suggests	Polycythemia		(D)	Resistant	ovaria	an synd	drome
TI	1A/18	((4)		,			Contd.

24.	All ar	e wrong	about	Tuberculosis
	excep	t:		

- (A) It involves extremes of age
- (B) In 40-60% of cases the chief complaint is infertility
- (C) Menorrhagia is most common complaint
- (D) Thickening of broad ligament is present

25. Most common pure malignant germ cell tumour is:

- (A) Embryonal cell tumour
- (B) Endodermal sinus tumour
- (C) Dysgerminoma
- (D) Chorio-carcinoma

26. Implantation occurs following fertilization on:

- (A) 5th day
- (B) 6th day
- (C) 7th day
- (D) 8th day

27. All are the causes of recurrent intrauterine foetal death except:

- (A) Torch group of infections
- (B) Maternal diabetes
- (C) APLA syndrome
- (D) Rh-isoimmunisation

- 28. Continued Pregnancy following threatened abortion is likely to have more incidence of following conditions except:
 - (A) Premature labour
 - (B) Growth retardation of foetus
 - (C) Foetal malformation
 - (D) Abruptio-placenta
- 29. One the following not related to Secondary RPH (post-partum haemorrhage) is:
 - (A) Retained bits of cotyledon
 - (B) Sepsis
 - (C) Poor healing of previous caesarean
 - (D) Morbid adherent placenta
- 30. When does an expectant mother feel quickening?
 - (A) 12-18 weeks
 - (B) .16-20 weeks
 - (C) 26 weeks
 - (D) 24-28 weeks

31. Appendicular Mass is formed in complication of:

- (A) Acute renal colic
- (B) Intestinal obstruction
- (C) Acute Appendicitis
- (D) Gastritis

32.	Dysphagia is associated with the disease of :			Pyloric stenosis is a chronic complication of:			
		Sall Bladder		(A)	Gall Bladder Stone		
	• •	ower G. I. Tract		(B)	Pancreatitis		
		lpper G. I. Tract		(C)	Duodenal Ulcer		
		rinary Bladder		(D)	Renal Stone		
33.	Acute retension of Urine in 30 years old Male is due to :			Colles Fracture occurs in :			
				(A)	Tibia		
	• •	tone in the Kidney		(B)	Pelvic Bone		
	• •	•		(C)	Distal End of Radius		
	` '	nguinal Hernia		(D)	Rib		
34.	Haem:	aturia is associated with	39.		te Pain in Abdomen with increase erum Amylase occurs in :		
,	(A) G	enital system		(A)	Cholecystitis		
	(B) G	i. I. System	•	(B)	Intestinal Obstruction		
	(C) R	espiratory system	·	(C)	Cystitis		
	(D) E	xcretory system		(D)	Pancreatitis		
35.	Obstructive Jaundice is due to :			Card	Cardiospasm is a disease of :		
	(A) V	iral Hepatitis		(A)	Heart		
	(B) Si	tone in Common Bile Duct		(B)	Oesophagus		
		tone in Kidney		(C)	Lung		
	(D) D	uodenal Ulcer		(D)	Stomach		
36.		xis is a condition due to ng from :	41.		od Transfusion is indicated in :		
	(A) Lu	ung		(A)	Dehydration		
	(B) St	tomach		(B)	High Fever		
	(C) E	ar		(C)	Blood Loss		
	(D) N	ose	,	(D)	Severe cough		
ΓI — '	1A/18	•	(6)		Contd.		

- 42. Ascitis due to Portal Hypertension occurs in the disease of :
 - (A) Stomach
 - (B) Liver
 - (C) Spleen
 - (D) Gall Bladder
- 43. Quinsy is a complication of:
 - (A) Acute Tonsillitis
 - (B) Acute Salpingitis
 - (C) Acute Gastritis
 - (D) Apthous Ulcer of Tongue
- 44. Goitre is a condition where there is enlargement of:
 - (A) Parotid gland
 - (B) Thyroid gland
 - (C) Neck gland
 - (D) Tonsil
- 45. Hydrocele occurs due to accumulation of Serous fluid in :
 - (A) Pleural cavity
 - (B) Peritoneal cavity
 - (C) Tunica Vaginalis
 - (D) Fallopian Tube
- 46. Which is not a correct statement among the following?
 - (A) HIV is a RNA Virus and a retro virus also
 - (B) HIV infected people are most infectious during very early

- stage and when the infection is well advanced
- (C) Exposed adolescent girls and women above 45 years are more prone to get HIV infection
- (D) Presence of preexisting STDs reduces the chance of acquiring HIV infection
- 47. Which is a wrong statement among the following?
 - (A) Obesity appears to play no rolein Type I Diabetes MellitusPathogenesis
 - (B) Genetic Factors are important
 Modifiable Factor for Coronary
 Heart Disease
 - (C) Environmental Factors are most important Risk Factors for all Human Cancers
 - (D) "Rules of Halves" was
 Observed in Hypertension
- 48. Which one is the wrong among the following?
 - (A) IEC Information, Education and Communication
 - (B) BCC Behavioral Changes
 Communication
 - (C) AFP Acute Flaccid Polio
 - (D) PQLI Physical Quality of Life Index

- 49. Which is not a correct statement among the following?
 - (A) Vitamin B₁₂ is not found in food of vegetable origin.
 - (B) Vitamin D occurs only in food of animal origin.
 - (C) "Parboiling" destroys nutritional value of Rice.
 - (D) Cabbage and Cauliflower may contain Goitrogens.
- 50. Which one is not a correct match among the following?
 - (A) Odds Ratio Case Control Study
 - (B) Relative Risk Cohort Study
 - (C) Standard Deviation Measures of Dispersion
 - (D) Migration Study Randomized Control Trial
- 51. Which is a wrong statement among the following?
 - (A) History of PID since last pregnancy is an absolute contraindication of IUD.
 - (B) Liver disease is an absolute contraindication of combined OC pill.

- (C) "Target Couples" are part of "Eligible Couples".
- (D) "Billing Method" is a natural family planning method.
- 52. Which is not a correct match among the following?
 - (A) Presumptive Coliform TestBacteriological Surveillanceof Water
 - (B) Methylene Blue Reduction Test —Test of Pasturized Milk
 - (C) Soiling Index Index of air pollution
 - (D) Horrock's Apparatus Estimation of Chlorine Demand of water
- 53. Choose the most appropriate answer from the following:
 - (I) The Antibody to Somatic(O) Antigen is usually higher in the Patient with the Disease.
 - (II) The Antibody to Flageller(H) Antigen is usually higher in immunized individuals.
 - (III) The Vi Antibodies are usually present in chronic carrier.

(IV) Typhidot and Typhidot-M are new Rapid and Reliable Diagnostic Tests for Typhoid.

Consider the following statements related to Typhoid:

- (A) Only (I) & (II) are correct
- (B) Only (III) is wrong
- (C) All are correct
- (D) Only (IV) is correct
- 54. Find out the ODD Matching among the following?
 - (A) Mansonoides mosquito –Malayan (Brugian) Filariasis
 - (B) Yersinia pestis Plague
 - (C) Phlebotomine Sandfly Leishmaniasis
 - (D) Aedes aegypti Dengue
- 55. Find out the wrong statement among the following?
 - (A) In Chickenpox the patient ceases to be infectious once the lesions have crusted.
 - (B) In Measles Virus are present in tears, nasal and throat secretion, urine and blood during prodromal phase and early eruptive phase.

- (C) Incubation period of Influenza is around 18 hours to 72 hours.
- (D) Immunization against Diphtheria not only prevents the disease but also the development of its carrier state.
- 56. Which is a correct statement among the following?
 - (A) "Lead Time" means time gap between diagnosis by conventional method and by advanced method.
 - (B) "Median Incubation Period" means Time required for 50% of the cases to occur following exposure.
 - (C) "Window period" is the time gap between the positivity of HIV antigen and Antibody against HIV in blood.
 - (D) "Generation time" is the time gap between reception of infection and first production of antibody against the agent.
- 57. Which one is not a correct match?
 - (A) Henry Dunant UNICEF
 - (B) Fracastorious Theory of Contagion
 - (C) Neumann and Virchow -Social Medicine
 - (D) -- Lord Dowson -- Health Centre

- 58. Which is not a correct statement among the following?
 - (A) Japanese Encephalitis is a Zoonotic Disease.
 - (B) Japanese Encephalitis is a Vector Borne Disease.
 - (C) Japanese Encephalitis is not a Vaccine Preventable Disease.
 - (D) Japanese Encephalitis is a Viral Disease.
- 59. Find out the incorrect statement among the following?
 - (A) Contaminated food and water are examples of "Fomites".
 - (B) "Droplet Nuclei" is a type of indirect Transmission.
 - (C) Conjugated Vaccines" elicit strong immune responses and immune memory in young children.
 - (D) Maximum Mutation occurs among polio viruses in OPV is Type 3.
- 60. Which is not a correct statement among the following?
 - (A) "Apgar Score" is taken at 1 minute and at 5 minute after birth.
 - (B) Early initiation of breastfeeding lowers the mother's risk of Postpartum Haemorrhage.

- (C) There is different Growth Chart for Boys and Girls.
- (D) Iron-Folic Acid Tablet supplied during Antenatal Care contains 100 mg Elemental Iron and 50 mcg Folic Acid.
- 61. In firearm injuries, the deviation between the long axis of the bullet and the axis of the path of the bullet is called:
 - (A) Musket
 - (B) Yaw
 - (C) Cocking
 - (D) Buckshot
- 62. Medicolegal importance of cadaveric spasm is, it indicates :
 - (A) Sudden death associated with great emotional tension
 - (B) Muscles in physical activity at the time of death
 - (C) Nature of death
 - (D) All of the above
- 63. Examples of expert witness can be:
 - (A) Handwriting expert
 - (B) Ballistic expert
 - (C) Chemical examiner
 - (D) All of the above

64	In Kidnapping it is an offence t import into India from a foreig		a tree or some similar object is known as:		
	country a girl for illicit intercourse	if	(A) Lynching		
:	her age is less than years.	_	(B) Chocking		
	(A) 16		(C) Throttling		
i.	(B) 21		(D) Smothering		
	(C) 18.	69.			
-	(D) 12		concentration of alcohol in blood		
65	1		reaches a maximum in about		
	a foetus dead in uterus is known as		after ingestion.		
	(A) Maceration (B) Rigor Mortis		(A) 15 to 30 minutes		
	(C) Mummification		(B) 30 to 40 minutes		
	(D) None of the above		(C) 40 to 90 minutes		
66	. In a burning as a cause of death),	(D) 90 to 120 minutes		
	among certain signs, one of is:	70.	is known as ideal suicidal		
	(A) Cherry red colour of blood du	е	poison.		
18.	monoxide	n ·	(A) Arsenic album		
	(B) Vesicles contains air	•	(B) Dhatura		
	(C) Bleeding		(C) Hydrocyanic acid and cyanides		
	(D) Healing is nil	٠	(D) Sulphuric acid		
67	Examples of cognisable offence is	: ,			
	(A) Kidnapping	71.	Which of the following is not seen in		
, • .	(B) Rape		Unconjugated hyperbilirubinemia?		
	(C) Murder		(A) Increased serum bilirubin		
	(D) All of the above		(B) Increased bilirubin in urine		
68	3,		(C) Normal serum transaminase		
	illegally to overpower an individua		level		
	and hang him by means of a rope to	J	(D) Increased urobilinogen in urine		
TI	1A/18	(11)	(Turn over)		

72.	Whi	ch bacteria causes Toxic shock		(C)	Nasopharyngeal Carcinoma	
	synd	rome?		(D)	All of the above	
	(A)	Streptococcus pyogens	77.	Whi	ch among the following is not	
	(B)	B) Pseudomonas		associated with Thalassaemia?		
	(C)	Staphylococcus aureus		(A)	Microcytosis in Peripheral	
	(D)	Haemophilus		` '	smear	
73.	Only	maternal immunoglobulin that is		(B)	Decreased Haemoglobin	
		nally transported across the enta:		(C)	Erythroid Hypoplasia of bone marrow	
	(A)	lg A		(D)	Increased serum bilirubin	
	(B)	lg E		` .		
	(C)	lg M	78.	Amy	loidosis is associated with :	
	(D)	lg G		(A)	Alzheimer's disease	
74.	Multifocal malignant proliferation of plasma cells is:			(B)	Atherosclerosis	
				(C)	Liver Cirrhosis	
	(A)	Hamartoma		(D)	All of the above	
	(B)	Multiple myeloma	79.	Rhe	umatic heart disease is caused	
	(C)	Blastoma		by:		
	(D)	Choristoma		(A)	Hyperlipidaemia	
75.	Curs	schmann's spirals can be seen		(B)	Streptococcal infection	
	in th	e mucous plugs of :		(C)	Mitral stenosis	
	(A)	Bronchial asthma		(D)	Aortic stenosis	
	(B)	Emphysema	80.	Lac	c of differentiation of cells seen	
	(C)	Chronic bronchitis		in m	alignant tumor is :	
	(D)	Bronchiectasis		(A)	Hyperplasia	
76.	Epst	ein Barr Virus is associated with :		(B)	Metaplasia	
	(A)	Infectious Mononucleosis	r* -	(C)	Dysplasia	
	(B)	Burkitt's Lymphoma	٠.	(D)	Anaplasia	
TI-	1A/18	3 (12)		Contd.	

- 81. All are the muscles of mastication except:
 - (A) Temporalis
 - (B) Masseter
 - (C) Medial Pterygoid
 - (D) Platysma
- 82. Nerve supply of Extra ocular muscles:
 - (A) Oculomotor nerve
 - (B) Abdusent nerve
 - (C) Trochlear nerve
 - (D) All of the above nerves
- 83. Which structure is not under cover of Deltoid?
 - (A) Circumflex humeral nerve
 - (B) Circumflex humeral vessels
 - (C) Brachial artery
 - (D) Upper end of Humerus
- 84. Morula:
 - (A) 16 cell stage of developing embryo
 - (B) 4 cell stage of developing embryo
 - (C) 8 cell stage of developing embryo
 - (D) 32 cell stage of developing embryo
- 85. Haversion canal:
 - (A) Hunter's canal
 - (B) Bone
 - (C) Inguinal canal
 - (D) None of the above

- 86. Which is wrong in forming boundaries of Femoral triangle?
 - (A) Medially by Lateral border of Adductor Longus
 - (B) Base by Poupart's ligament
 - (C) Apex formed by overlapping of Adductor longus and Sartorius
 - (D) Laterally by Medial border of Sartorius
- 87. All are ligaments of Hip joint except:
 - (A) Pubo-femoral ligament
 - (B) Ligamentum Teres
 - (C) Glenoidal labrum
 - (D) Ischio-femoral ligament
- 88. All are forming Stomach bed structures except:
 - (A) Left Kidney
 - (B) Right Supra Renal Gland
 - (C) Pancreas
 - (D) Transverse mesocolon
- 89. Mcburney's point:
 - (A) Junction between medial 1/3rd and lateral 2/3rd of a line connecting Umbilicus and Right anterior superior iliac spine
 - (B) Junction between medial 2/3rd and lateral 1/3rd of a line connecting Umbilicus and Right anterior superior iliac spine

(C)	Junction between medial 1/3 rd		(C)	500	
	and lateral 2/3 rd of a line connecting Umbilicus and Left anterior superior iliac spine (D) Junction between medial 2/3 rd and lateral 1/3 rd of a line connecting Umbilicus and Left anterior superior iliac spine	93.	(D)	700	
(D)			in d color (A) (B)	Green and Red Blue and Black	
Whi	ch is wrong about Suerior Vene-		(C)	Green and Violet	
cava	•		(D)	White and Yellow	
(A)	Formed by the union of Right	94.	Wisc	dom teeth normally grow during	
	and Left Brachio-cephalic veins		the a	age of :	
(B)	Azygos vein is a tributary of		(A)	12-15 years	
	superior venecava		(B)	15-30 years	
(C)	Terminate in to Left Atrium		(C)	17-30 years	
(D)	Its terminal part is enclosed by		(D)	30-40 years	
	pericardium 95.		The	saliva helps in digestion of :	
Whi	ch of the following helps in blood		(A)	Fats	
clott	ing?		(B)	Fibres	
(A)	Blood platelets		(C)	Proteins	
(B) [;]	RBC		(D)	Starch	
(C)	WBC	96.	Bloc	od does not coagulate inside	
(D)	Iron	•	body due to presence of:		
The	re are approximately		(A)	Fibrin	
mus	cles in human body.		(B)	Haemoglobin	
(A)	206		(C)	Thromboblastin	

(B) 360

90.

91.

92.

(D) Heparin

97.	The	marasmus is caused by	99.	Kuff	er cells are found in :
	defic	ciency of :		(A)	Stomach
	(A)	Proteins		(B)	Liver
	(B)	Fats		(C)	Kidney
	(C)	Irons		(D)	Heart
	(D)	Carbohydrates	100.	Scui	rvy is due to the deficiency of :
98.	Tryp	sin enzyme is found in :		(A)	Vitamin A
	(A)	Bile Juice		(B)	Vitamin B
	(B)	Pancreatic Juice		(C)	Vitamin C
	(C)	Saliva		(D)	Vitamin D
	(D)	Intestinal Juice			

TI – 1A/18

269