भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली - 110003 Rajiv Gandhi Bhavan, Safdarjung Airport, New Delhi - 110003 विज्ञापन सं. 7/2015 के तहत मर्ती हेतु ऑनलाईन परीक्षा /ONLINE EXAMINATION FOR RECRUITMENT AGAINST ADVT. NO. 7/2015

Candidate Name:	
Candidate Roll Number:	
Test Center Name:	
Subject:	Junior Executive ATC
Test Date:	24/04/2016
Shift:	Shift 1

Section: Physics and Mathematics

Q.1 If f_1 and f_2 are two linear functionals on vector space V defined as $f_1(a, b) = a + 2b$, $f_2(a, b) = 3a - b$, then

Ans \times 1. a+b

 \times 2. 2 a + 6 b

 \times 3. 9a + 10 b

 $\sqrt{4. - 9a + 10 b}$

Question ID: 82666245

Question ID: 82666243

Question ID: 8266627

Question ID: 82666220

Chosen Option :

Chosen Option

Status: Answered

Status: Marked For Review

Status: Marked For Review

Chosen Option :

Chosen Option :

Q.2 The value of x for which the following series converges is:

$$x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + - - - - \infty$$

 \times 1. the series converges for $-1 \le x \le 1$

 \checkmark 2. the series converges for $-1 < x \le 1$

 \times 3. the series diverges for -1 < x < 1

 \times 4. the series converges for x>1

Q.3 A nuclear reaction gives off a total of 10¹⁷ J energy. How much mass is spent in the process?

Ans

X 1 111 kg

√ 2. 1.11 kg

X 3. 0.11 kg

X 4. 81.3 kg

Q.4 X-rays of wavelength of 0.4500 nm are scattered from free electrons in a target. What is the wavelength of photons scattered at 60° relative to the incident rays? (h= 6.63 x 10⁻³⁴ J s, m_e =9.11 x 10⁻³¹ kg , $c = 3 \times 10^8 \text{ m/s}$

X 1 0.4476 nm

✓ 2. 0.4512 nm

X 3. 0.4524 nm

X 4. 0.4488 nm

The Cauchy Riemann equations for f(z) = u(x, y) + iv(x, y) to be analytic are:

Ans

Question ID: 82666254

Status: Marked For Review

Status: Marked For Review

file:///C:/Users/Downloads/Qp%20(3).html

$$\times$$
 1. $\frac{\partial u}{\partial x} = -\frac{\partial v}{\partial y}$, $\frac{\partial u}{\partial y} = \frac{\partial v}{\partial x}$

$$\checkmark$$
 2. $\frac{\partial u}{\partial x} = \frac{\partial v}{\partial y}, \frac{\partial u}{\partial y} = -\frac{\partial v}{\partial x}$

$$\times$$
 3. $\frac{\partial u}{\partial x} = -\frac{\partial v}{\partial y}$, $\frac{\partial u}{\partial y} = -\frac{\partial v}{\partial x}$

$$\checkmark$$
 4. $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$, $\frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} = 0$

An astronaut at rest has a heart rate of 65 beats/min. When the astronaut's spaceship moves at a speed of 0.6c, her heart rate as measured by an earth observer will be:

- X 1 26 beats/min
- × 2. 104 beats/min
- X 3. 74 beats/min
- 4 52 beats/min

Q.7 Let $\sum u_n$ be a series of positive terms and let $\lim_{n\to\infty} u_n^{1/n} = l$, then, which

among the following does not express the condition for the Cauchy's nth root test?

 \times 1 If l > 1, $\sum u_n$ diverges

 \times 2. If l < 1, $\sum u_n$ converges



If l=0, the series neither converges nor diverges



If l=1, the test fails and the series may either converge or diverge

Q.8 A helium- neon laser emits red light having a wavelength of 632.8 nm and a power of 0.5 mW. How many photons are emitted each second?

Ans X 1. 2.6 x 10¹⁸

× 2. 4.8 x 10¹⁷

X 3. 3.3 x 10¹⁶

 \checkmark 4. 1.6 x 10¹⁵

The Curie temperature for iron is:

Ans X 1. 627 K

X 2. 1388 K

√ 3. 1043 K

X 4. 3862 K

Q.10 Trapezoidal rule for the evaluation of $\int_{a}^{b} f(x)dx$ requires the interval [a, b] to be divided into:

X 1. 2n subintervals of equal width

√ 2. any number of subintervals of equal width

X 3. 2n + 1 subintervals of equal width

Question ID: 8266624

Status: Marked For Review

Chosen Option :

Chosen Option :

Question ID: 82666242

Status: Marked For Review

Chosen Option:

Question ID: 82666218

Status: Marked For Review

Chosen Option

Question ID: 82666227

Status: Marked For Review

Chosen Option :

Question ID: 82666252

Status: Marked For Review

X 4. 3n subintervals of equal width

Q.11 The Poynting vector of an electromagnetic wave in vacuum is $S = \{(120 \text{ W/m}^2) \sin^2 [(8.0 \text{ rad/m}) \text{ z} + (2.4 \text{ x} 10^9 \text{ rad/s}) t]\} \text{ k.}$ What is the wavelength?

Ans X 1. 0.24 m

✓ 2. 0.79 m

X 3. 0.0488 m

X 4. 0.068 m

Question ID: 82666223

Question ID: 82666239

Status: Marked For Review

Status: Marked For Review

Status: Marked For Review

Chosen Option :

Chosen Option :

Chosen Option

Q.12 Complimentary function of the differential equation $x^2 \frac{d^2y}{dx^2} + 4x \frac{dy}{dx} + 2y = e^{x^2}$

Ans

 $\sqrt{1}$ 1. $c_1 x^{-1} + c_2 x^{-2}$

 \times 2. $c_1x + c_2x^2$

 \times 3. $c_1x^{-1} + c_2x^2$

 \times 4. $c_1x + c_2x^{-2}$

Q.13 For any quadratic function $px^2 + qx + r$ the value of θ in Lagrange's theorem is always:

Ans

√ 1. ½ (whatever p, q, r, a and h may be)

 \times 2. (a + h)/2 (whatever p, q, r, a and h may be)

X 3. 0 (whatever p, q, r, a and h may be)

X 4. (a-h)/2 (whatever p, q, r, a and h may be)

Q.14 Fraunhofer diffraction at a double slit is observed using a light of wavelength λ. The width of each slit is *a* and the width of opaque portion between the two slits is *b*. The angular separation between any two consecutive maxima in diffraction pattern is:

Ans

 \checkmark 1. $\lambda/(a+b)$

 \times 2. $\lambda b / (a+b)^2$

 \times 3. $\lambda b/a^2$

 \times 4. $\lambda a/b^2$

Question ID : 82666212

Question ID: 82666234

Status: Marked For Review

Chosen Option :

Q.15 Frame S' moves relative to frame S at 0.60 c in the direction of increasing x. In frame S', a particle is measured to have a velocity of 0.4 c in the direction of increasing x'. The velocity of the particle as measured in frame S is:

Ans 💥

X 1 0.26 c

X 2. 0.92 c

X 3. 0.52 c

√ 4. 0.81 c

Question ID: 8266625

Status: Marked For Review

Chosen Option :

Q.16 A plane polarized electromagnetic wave is travelling in free space along +x direction. The amplitude of Its electric field is $E_0 = 240$ N/C and its frequency is 150 MHz. Electric field of the wave can be written as:

Ans

X 1.

 $E = \{ (240 \text{ N/C}) \sin [(2.09 \text{ rad/m}) x + (6.27 \text{ x } 10^8 \text{ rad/s}) t] \} j$

2

 $\mathbf{E} = \{ (240 \text{ N/C}) \sin [(3.14 \text{ rad/m}) x - (9.42 \text{ x} 10^8 \text{ rad/s}) t] \} \mathbf{j}$

Question ID : 82666224

Status: Marked For Review



 $E = \{(240 \text{ N/C}) \sin [(2.09 \text{ rad/m}) x - (6.27 \text{ x } 10^8 \text{ rad/s}) t]\} j$



 $\mathbf{E} = \{ (240 \text{ N/C}) \sin [(3.14 \text{ rad/m}) x + (9.42 \text{ x} 10^8 \text{ rad/s}) t] \} \mathbf{j}$

Q.17 Interference fringes are observed with a biprism of refracting angle 1° and refractive index 1.5 on a screen 100 cm away from it. The wavelength of light used is 5890 Å. If the distance between the source and the biprism is 20 cm, the fringe width is:

Ans

- X 1. 0.680 mm
- × 2. 0.101 mm
- × 3. 0.508 mm
- 4. 0.202 mm

Question ID: 82666210

Status: Marked For Review

Chosen Option :

Q.18 The order of convergence of Newton Raphson method is:

- Ans 🕡 1. 2
 - X 2. 0
 - X 3. 1
 - X 4. 3

Question ID: 82666249

Status: Marked For Review

Chosen Option :

Q.19 Which amongst the following expressions is not true?

Ans

1.
$$\lim_{n\to\infty} \frac{1+3+5+\dots+(2n-1)}{n^2} = 1$$

$$\sum_{n\to\infty} 2. \lim_{n\to\infty} \sqrt[n]{n} = 1$$

$$X$$
 3. $\lim_{n\to\infty} \frac{3+2\sqrt{n}}{\sqrt{n}} = 2$

$$\sqrt{4}$$
. $\lim_{n \to \infty} \frac{3n+2}{n+1} = 1$

Question ID: 82666241

Status: Answered

Chosen Option :

Q.20 What is the minimum X-ray wavelength produced when electrons are accelerated through a potential of 50000 V? ($h = 6.63 \times 10^{-34} \text{ J s}, c = 3 \times 10^8 \text{ m/s}, 1 \text{ eV} = 1.6 \times 10^{-19} \text{ J}$)

Ans

Question ID: 82666229

Question ID: 82666251

Status: Marked For Review

Status: Marked For Review

Chosen Option :

Chosen Option :

Q.21 The value of f(3) from the following table using the Lagrange's formula is:

X	0	1	2	4	5	6	
f(x)	1	14	15	5	6	19	

Ans X 1. 10.5

X 2. 11.5

X 3. 11

V 4. 10

Q.22

Question ID: 82666248

Status: Marked For Review

Consider the following assertions:

- Rank(ST) = Rank S = Rank T
- Rank (ST) = Rank S, if T is non-singular II.
- Rank (ST) = Rank T, if T is non-singular

where S, T: V → V are linear transformations of a finite dimensional vector space V. Which of these is/are

Ans

- ✓ 1 only II
- X 2 only I
- X 3. II and III
- X 4. I and II
- Q.23 A magnetic field of 1.2 T is applied to a paramagnetic gas. The atoms of the gas have magnetic dipole moment of 1.5 x 10^{-23} J/T. At what temperature, will the mean translational kinetic energy of an atom of the gas be equal to the energy required to change the alignment of atom's magnetic dipole from anti-parallel to parallel (to the magnetic field)? (Boltzmann constant = 1.38×10^{-23} J/K)

- X 1. 0.82 K
- X 2. 300 K
- X 3. 21.6 K
- 4 1.74 K

Q.24 If
$$y = (Sin^{-1}x)^2$$
 then:

- Ans $\sqrt{1.(1-x^2)}y_{n+2} (2n+1)xy_{n+1} n^2y_n = 0$
 - \times 2. $(1-x^2)y_{n+2} (2n+1)xy_{n+1} + n^2y_n = 0$
 - \times 3. $(1-x^2)y_{n+2} + (2n+1)xy_{n+1} n^2y_n = 0$
 - \times 4. $(1-x^2)v_{-12}-(2n-1)xv_{-12}-n^2v_{-1}=0$
- **Q.25** Let X = (3, 2, -1), Y = (2, 4, 1), Z = (4, 0, -3) and W = (10, 4, -5) be vectors in \Re^3 , a real vector space. Which one of the following is correct?

- Ans X + 2Z = W, X Y = Z
 - \times 2. 2X + Z = W, Y + Z = W
 - X = X + Z = W, 2X + Y = Z
 - \checkmark 4. 2X Y = Z, Y + 2Z = W
- Q.26 A rocket ship is 100 m in length when measured before leaving the launching pad. When in flight, a ground observer measures its length as 75 m. The velocity of the rocket ship is:

Ans

- \times 1 0.98 x 10⁸ m/s
- X 2. 1 15 x 108 m/s
- ✓ 3. 1.98 x 10⁸ m/s
- X 4. 1.33 x 108 m/s
- Q.27 The Gauss Seidal method gives results faster when the pivotal element are:

- 1 equal to other coefficients
- 2. less than equal to other coefficients
- 3. larger than other coefficients

Chosen Option :

Question ID: 82666226

Status: Marked For Review

Chosen Option :

Question ID: 82666232

Status: Marked For Review

Chosen Option :

Question ID: 82666246 Status: Answered

Chosen Option :

Question ID: 8266623

Status: Marked For Review

Chosen Option :

Question ID: 82666250

Status: Marked For Review

× 4 smaller than other coefficients

Q.28 The quantum mechanical model of the hydrogen atom requires that if the principal quantum number is 4, the number of different permitted orbital quantum numbers will be

- X 1 five
- 2. two
- 3. four
- X 4. one
- Q.29 A Fraunhofer diffraction is produced from a light source of 580 nm. The light goes through a single slit and onto a screen a meter away. The first dark fringe is 5.0 mm from the central bright fringe. What is the

Ans

- X 1 0.24 mm
- ✓ 2. 0.12 mm
- X 3. 0.10 mm
- X 4. 0.52 mm
- Q.30 If $x \in S$ a non-empty set of real numbers, then:

- \times 1. Inf x = Sup(x)
- \times 2. Inf x = Sup(x)
- √ 3. Inf x = Sup(-x)
- \times 4. Inf x = Sup(-x)

Question ID: 82666240

Question ID: 82666230

Question ID: 82666211

Chosen Option .

Chosen Option

Status: Marked For Review

Status: Marked For Review

- Status: Marked For Review
- Chosen Option

Q.31 A light beam is incident on a metal target with a work function of 2.3 eV. If a stopping potential of 1.3 V is required, what is the wavelength of the incident light? ($h = 6.63 \times 10^{-34} \text{ J s}, c = 3 \times 10^{8} \text{ m/s}, 1 \text{ eV} = 1.6 \times 10^{-34} \text{ J s}$

- Ans X 1. 765 nm
 - ✓ 2. 345 nm
 - × 3. 487 nm
 - 🗡 4. 1411 nm

- Question ID: 82666228
 - Status: Marked For Review

Status: Marked For Review

Chosen Option :

Chosen Option <

- The differential equation $f_{xx} + 2f_{yy} + 4f_{yy} = 0$ is classified as:
- X 1 parabolic
- √ 2. elliptic
- X 3. hyperbolic
- X 4. Circular
- Q.33 Under which one of the following condition does the system of
 - equations $\begin{vmatrix} 2 & 1 & 2 \end{vmatrix} \begin{vmatrix} y \end{vmatrix} = \begin{vmatrix} 4 \end{vmatrix}$ have a unique solution?

Question ID: 82666247

Question ID: 82666237

- Status: Answered
- Chosen Option : •

- \times 1. a = 8
- $\sqrt{2}$, $a \neq 8$
- \times 3. For all $a \in \Re$
- \times 4. For all $a \in \mathbb{Z}$

Q.34 In a Newton's rings experiment, light of wavelength λ and a lens of radius of curvature R are used. The difference in diameters of 25th and 16th dark rings is:

Ans



$$\times$$
 4. $\sqrt{\lambda R}$

Q.35 Light of wavelength 600 nm is incident normally on a diffraction grating 3.00 cm wide. If second order line is observed at an angle of 30°, what is the total number of lines on the grating?

Ans

The solution of the differential equation
$$\left(x \sin\left(\frac{y}{x}\right)\right) dx - \left(y \sin\left(\frac{y}{x}\right) - x\right) dx = 0$$
 is:

$$\checkmark$$
 1. $\cos\left(\frac{y}{x}\right) - \log x = c$

$$\times$$
 2. $\sin\left(\frac{y}{x}\right) = 0$

$$\times$$
 3. $\cos\left(\frac{y}{x}\right) = 0$

$$\times$$
 4. $\sin\left(\frac{y}{x}\right) - \log x = c$

Q.37 If f(z) is analytic in a simply connected domain D, then for every closed path C in D:

$$X$$
 1. $\iint_C f(z)dz = 1$

$$\times$$
 3. $\iint_C f(z)dz \neq 0$


$$X \stackrel{\text{d}}{\underset{c}{\downarrow}} f(z)dz \neq 1$$

Q.38 The specific rotation of a 10 % sugar solution is 60°. If the length of the polarimeter tube containing sugar solution is 20 cm, the plane of polarisation of light is rotated by

Ans

X 4. 31°

Ans



Question ID: 8266629

Status: Marked For Review

Chosen Option :

Question ID: 82666213

Status: Marked For Review

Chosen Option:

Question ID: 82666238

Status: Marked For Review

Chosen Option

Question ID: 82666255

Status: Marked For Review

Chosen Option :

Question ID: 82666214

Status: Marked For Review

Chosen Option :

Question ID: 82666216

Status: Marked For Review

 \times 2. 1.12 x 10⁻⁴ m

 \times 3. 6.40 x 10⁻³ m

 \times 4. 3.20 x 10⁻⁵ m

Q.40 The relativistic mass of a proton moving with a speed of 2.4×10^8 m/s (rest mass of proton = 1.67×10^{-27}

Ans

- X 1 5.17 x 10⁻²⁷ kg
- \checkmark 2. 2.78 x 10⁻²⁷ kg
- \times 3. 5.56 x 10^{-27} kg
- \times 4 1.39 x 10⁻²⁷ kg

Q.41 Two parallel plates (each of area 400 cm²) of a capacitor are given equal and opposite charges of magnitude 3.56 µC. The space between the plates is filled with a dielectric. If the electric field in the dielectric is 1.2×10^6 V/m, what is the dielectric constant of the material? ($\epsilon_0 = 8.85 \times 10^{-12}$ F/m)

Ans

- X 1. 4.7
- 2. 8.4
- X 3. 6.5
- X 4. 2.4

Q.42 The electric field between two plates of a parallel plate (area = $8.0 \times 10^{-2} \text{ m}^2$) capacitor is given by E = $(6.8 \times 10^6 - 8.4 \times 10^5 t)$ V/m, where t is in seconds. What is the magnitude of the displacement current between the plates? ($\epsilon_0 = 8.85 \text{ x} 10^{-12} \text{ F/m}$)

- X 1. 8.46 x 10⁻⁹ A
- \times 2. 3 57 x 10⁻⁶ A
- $\sqrt{3.5.95} \times 10^{-7} A$
- \times 4. 7.36 x 10⁻⁸ A

Q.43 A triangle of maximum area inscribed in a circle of radius r:

- Ans X 1 does not exist
 - X 2. is an isosceles triangle of height r

X 3.

is a right angled triangle with hypotenuse measuring 2r

4. is an equilateral triangle

Q.44 If A is a square matrix of order n the inverse A⁻¹ exists, if

- X 1 1 is not an eigen value of A
- X 2. 1 is an eigen value of A
- √ 3. 0 is not an eigen value of A
- X 4. 0 is an eigen value of A

Q.45 Solving by variation of parameter $y'' - 2y' + y = e^x \log x$, the value of Wronskion W is:

Question ID: 8266622

Status: Marked For Review

Chosen Option :

Question ID: 82666225

Status: Marked For Review

Chosen Option:

Question ID: 82666222

Status: Marked For Review

Chosen Option

Question ID: 82666233

Status: Answered

Chosen Option:

Question ID: 82666244

Status: Marked For Review

Chosen Option:

Status: Marked For Review

✓ 3.
$$e^{2x}$$

$$\times$$
 4. e^{-2x}

Q.46

The value of $\int_{0}^{\pi/2} \sin^7 x \cos^4 x dx$ is equal to:

$$\times$$
 1. $\frac{16}{5115}$

$$\checkmark$$
 2. $\frac{16}{1155}$

$$\times$$
 3. $\frac{16}{1515}$

$$\times$$
 4. $\frac{16}{1551}$

Q.47 The function f(x) = x|x| is

Ans X 1. not continuous at the origin.

✓ 2. differentiable at the origin.

X 3. limit does not exist at origin.

X 4. not differentiable at origin.

Question ID: 82666258

Status: Marked For Review

Chosen Option :

Chosen Option .

Question ID: 82666231 Status: Answered

Chosen Option :

Q.48 The area bounded by the parabola $y^2 = 4ax$ and its latus rectum is equal to:

Ans

$$\times$$
 1. $\frac{8}{3}\pi a^2$

$$\sqrt{2}$$
. $\frac{8}{3}a^2$

$$\times$$
 3. $\frac{8}{3}(a^2+1)$

 \times 4. $\frac{7}{3}a^2$

Question ID: 82666259

Status: Marked For Review

Chosen Option :

Q.49 A silicon monoxide (n=1.45) film of 100 nm thickness is used to coat a glass camera lens (n=1.56). What wavelength of light in the visible region will be most efficiently transmitted by this system?

Question ID: 8266628

Status: Marked For Review


Chosen Option :

Q.50 The spacing between layers of atoms in KCl crystal is 3.1 x 10⁻¹⁰ m. A beam of X-rays is constructively scattered in first order from the surface of the crystal at an angle of 2.9° . The wavelength of X-rays is ____ ($\sin 2.9^{\circ} = 0.0506$)

$$\times$$
 2. 3.71 x 10⁻¹¹ m

Question ID: 82666219

Status: Marked For Review



Q.51 The differential equation $(y^2e^{w^2}+6x)dx+(2xye^{w^2}-4y)dy=0$ is:

X 1 non-linear, homogeneous and exact

✓ 2. non-linear, non-homogeneous and exact

X 3. non-linear, non-homogeneous and inexact

X 4. linear, homogeneous and exact

Question ID: 82666235

Status: Marked For Review

Chosen Option :

Q.52 $\int \frac{dx}{(x+1)^2(x^2+1)} =$

 \times 1. $\frac{1}{2}\log(x+1) + \frac{1}{2(x+1)} + \frac{1}{4}\log(x^2+1)$

 \times 2. $\frac{1}{2}\log(x+1) + \frac{1}{2(x+1)} - \frac{1}{4}\log(x^2+1)$

 \checkmark 3. $\frac{1}{2}\log(x+1) - \frac{1}{2(x+1)} - \frac{1}{4}\log(x^2+1)$

 \times 4. $\frac{1}{2}\log(x+1) - \frac{1}{2(x+1)} + \frac{1}{4}\log(x^2+1)$

Question ID: 82666257

Status: Marked For Review

Chosen Option

The series $\sum_{n=1}^{\infty} \frac{z^n}{n\sqrt{n+1}}$, $|z| \le 1$ is:

Ans X 1. convergent but not uniformly

absolutely convergent but not uniformly convergent

X 3. uniformly but not absolutely convergent

4. uniformly and absolutely convergent

Q.54 X-rays of wavelength of 0.0650 nm undergo Compton scattering from free electrons in carbon. If photons are scattered at 90° relative to the incident rays, what percentage of initial X-ray photon energy is transferred to an electron in such a scattering? ($h=6.63 \times 10^{-34} \text{ J s}$, $m_e=9.11 \times 10^{-31} \text{ kg}$, $c=3 \times 10^8 \text{ m/s}$)

Ans

V 1. 3.6 %

X 2. 2.4 %

X 3. 1.2 %

X 4. 4 6 %

Question ID: 82666221

Question ID: 82666256

Chosen Option:

Status: Marked For Review

Status: Marked For Review

Chosen Option :

Q.55 The complex numbers $z_1 = 1 + 2i$, $z_2 = 4 - 2i$, $z_3 = 1 - 6i$ form the vertices of a:

1 isosceles triangle

2 scalene triangle

X 3. right angled triangle

X 4 equilateral triangle

Q.56 An electron in a TV tube has a speed of 6 x 107 m/s. What is the de Broglie wavelength associated with the electron $(m = 9.11 \times 10^{-31} \text{ kg})$?

Question ID: 82666253

Status: Marked For Review

Ans

X 1. 0.248 Å

✓ 2. 0.121 Å

X 3.0.347 Å

X 4. 0.867 Å

Q.57 According to Einstein's prediction in 1905, the measured values of the quantities that depend on the relative motion of the frame of reference and the observer are:

Ans

X 1 mass and length

X 2. time and length

X 3. mass and time

4. mass, length and time

Q.58 The value of $\iint r \sin\theta dr d\theta$ over the cardioid $r = a(1 - \cos\theta)$ above the initial line is:

Ans

 $\sqrt{1. \frac{4}{3}a}$

 \times 2. $\frac{8}{3}a^2$

 \times 3. $\frac{8}{3}\pi a^2$

 \times 4. $\frac{4}{3}\pi a^2$

Q.59 When light from a single point passes through calcite, it often forms two images.

Each of two images are formed from light that has been polarised by:

Ans

X 1 Scattering

√ 2. double refraction

X 3. reflection

X 4 selective absorption

Q.60 An electron whose rest mass is $9.11 \times 10^{-31} \, \text{kg}$ moves with a speed of $0.8 \, c$. What is its kinetic energy? ($c = 3 \times 10^8 \, \text{m/s}$)

Ans

✓ 1. 5.47 x 10⁻¹⁴ J

× 2. 2.47 x 10⁻¹⁴ J

× 3. 3.41 x 10⁻¹⁴ J

× 4. 4.36 x 10^{−14} J

Section : English Language

Q.1 Select the phrase that best expresses the meaning of the underlined idiom. It's no secret that he got elected by playing to the gallery.

Ans

1. appealing to popular taste

X 2. entertaining people

× 3. influencing the public

Status : Marked For Review

Chosen Option :

Question ID: 8266621

Status: Marked For Review

Chosen Option :

Question ID: 82666260

Status: Marked For Review

Chosen Option

Question ID: 82666215

Status: Marked For Review

Chosen Option :

Question ID: 8266626

Status: Marked For Review

Chosen Option :

Question ID : 82666265

Status : Answered

Q.2	Given below are four-sentence paragraphs (S1-S4). S1 and S4 are given. From the options (P, Q, R) choose two sentences which can be S2 and S3.	Question ID : 82666274		
	S1: Twitter is fast building up a whole new vocabulary.	Status : Answered		
	S2:	Chosen Option :		
	S3:S4: With over 25 million users accessing Twitter, it does not come as a			
	surprise that virtual is fast becoming real.			
	P: The phenomenon reflects the rise of social networking and its			
	influence on popular culture. Q: Words like - "Tweetheart"; a user admired by many, and 'tweet tooth,'			
	a strong desire to send a tweet - have made it to the dictionary.			
	R: Publishers of Collins dictionary have added dozens of new words to its latest edition, thanks to the social networking site.			
Ans	X 1. QR			
	X 2. RQ			
	X 3. PQ			
	✓ 4. RP			
	Select the phrasal verb that best completes the sentence. Parents often worry about their teenage children a huge phone bill.	Question ID : 82666266		
Ans	× 1. building up	Status : Marked For Review		
	× 2. making up	Chosen Option : ———————————————————————————————————		
	The state of the s			
	√ 3. running up			
	× 4. ending up			
Q.4	Select the word that is closest in meaning to the word in capitals.	Question ID : 82666261		
	SUPERFICIAL	Status : Marked For Review		
Ans	X ¹. Artificial	Chosen Option		
	× 2. Fake			
	✓ 3. Shallow			
	× 4. Stupid			
L	inked Answer Question:			
	Given below is a passage with four blanks. For each bla	nk, four alternatives are provided. Select one		
1	them to fill each blank.			
	No one can (1) when an earthquake will occur.			
	little damage. Others are disastrous and the damage is ex			
	and emergency crews are(3) quickly. These earthquakes.	actions help lessen the losses (4) l		
S	ubQuestion No : 5			
Q.5 I	Read the passage and fill in the blanks of (3) by choosing the best option.	Question ID : 82666270		
ns	X 1. brought up	Status: Marked For Review		
	× 2. set up	Chosen Option :		
	✓ 3. put in place			

file:///C:/Us // Downloads/Qp%20(3).html

Linked Answer Question:	
Given below is a passage with four blanks. For each blank, them to fill each blank.	, four alternatives are provided. Select one of
No one can (1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are (3) quickly. These are earthquakes.	nsive. However, buildings are stronger today
SubQuestion No: 6	
Q.6 Read the passage and fill in the blanks of (2) by choosing the best option.	Question ID : 82666269
Ans 🗸 1. barely	Status : Marked For Review
× 2. strongly	Chosen Option :
× 3. hardly	
× 4. easily	
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can (1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are (3) quickly. These are earthquakes. SubQuestion No: 7	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today
Q.7 Read the passage and fill in the blanks of (1) by choosing the best option.	
Ans X 1. predict	Question ID : 82666268
✓ 2 forecast	Status : Answered Chosen Option
× 3. think	
× 4. plan	
Linked Answer Question:	
Linked Answer Question: Given below is a passage with four blanks. For each blank, them to fill each blank.	, four alternatives are provided. Select one o
Given below is a passage with four blanks. For each blank,	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can(1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are(3) quickly. These are	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can (1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are (3) quickly. These are earthquakes.	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today ctions help lessen the losses (4) by
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can(1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are(3) quickly. These are earthquakes. SubQuestion No: 8	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can (1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are (3) quickly. These are earthquakes. SubQuestion No: 8 2.8 Read the passage and fill in the blanks of (4) by choosing the best option.	ome earthquakes are (2) felt and cause ensive. However, buildings are stronger today ctions help lessen the losses (4) by Question ID:82666271
Given below is a passage with four blanks. For each blank, them to fill each blank. No one can (1) when an earthquake will occur. So little damage. Others are disastrous and the damage is exte and emergency crews are (3) quickly. These are earthquakes. SubQuestion No: 8 2.8 Read the passage and fill in the blanks of (4) by choosing the best option. Ans 1. are caused	ome earthquakes are (2) felt and caus ensive. However, buildings are stronger today ctions help lessen the losses (4) by Question ID:82666271 Status:Marked For Review

file:///C:/Usersizetime/Downloads/Qp%20(3).html

Q.9 It is important for the president _____ seen as a threat. Question ID: 82666279 Ans X 1 to not be Status: Answered Chosen Option : 2. not to be X 3. that she wasn't X 4. not being Q.10 Select the phrase/clause that could replace the underlined section. Question ID: 82666280 When I turn forty five, I will be a doctor for twenty years. Status: Answered Ans ✓ 1. will have been a doctor for twenty years. Chosen Option : 2. would be a doctor for twenty years. 3 would have been a doctor for twenty years. 4 shall be a doctor for twenty years. Q.11 Select the phrase/clause that best completes the sentence. Question ID: 82666276 The motion to increase pay, was widely praised. Status: Answered Chosen Option : X 1 which will be passed unanimously 2. has been passed unanimously X 4 that could be passed unanimously Q.12 Fill in the blanks with the word that best completes the sentence. Question ID: 82666272 Shilpa was so _____ that she didn't realize that the milk had boiled over. Status: Answered Ans X 1 distracted Chosen Option : × 2. confused 3. preoccupied X 4. absorbed Q.13 Select the word that best defines the phrase. Question ID: 82666263 Giving undue favours to one's own kith and kin Status: Marked For Review Chosen Option : X 1 Patriotism 2. Nepotism X 3. Jingoism X 4. Favouritism Q.14 Select the phrase/clause that could replace the underlined section. Question ID: 82666281 Although we had tickets, we will be kept waiting for an hour. Status: Answered X 1 had been kept waiting Chosen Option : X 2. had kept waiting 3. were kept waiting X 4 had been made to keep waiting

Q.15 Anita: What about our plans for the weekend? Question ID: 82666277 Mehta: Everything set. But if Anna comes to know about it, Status: Marked For Review √ 1. the whole thing could be ruined. Chosen Option : 2. the whole thing should be ruined. 3. the whole thing must be ruined. 4. the whole thing has to be ruined. Q.16 Choose the word which is closest to the meaning of the underlined word. Question ID: 82666273 The team of intrepid explorers made their way across the frozen Arctic. Status: Answered X 1 curious Chosen Option X 2. strong X 3. fearful 4. brave Q.17 Given below are four-sentence paragraphs (S1-S4). S1 and S4 are given. Question ID: 82666275 From the options (P, Q, R) choose two sentences which can be S2 and S3. Status: Marked For Review S1: In January 1991, police arrested a man for selling magic pencils for Chosen Option : \$225 each. S2: S4: These would make the computers mark wrong answers as correct. P. According to him, the pencils contained electronic signals which would confuse the computers marking the exams. Q. The pencils, the man claimed, would automatically produce correct answers in university entrance exams. R. Dozens of students who had bought the pencils complained that the magic hadn't worked for them. Ans 1. QP X 2. PR X 3. RQ X 4. PQ my fellow employees, I would like to thank the management for the support they have given us in Q.18 organizing the event. Question ID: 82666278 Ans X 1 From the behalf Status: Answered Chosen Option : 6 X 2. From the behalf of 3. On the behalf of 4. On behalf of Q.19 Select the correct spelling of the word to complete the sentence. Question ID: 82666264 means to be steady and persistent in one's course of action. Status: Answered Perseverance Chosen Option : X 2. Perserverance Persaverance 4 Perservance

Q.20 Select the word that is opposite in meaning to the word in capitals. Question ID: 82666262 COMMON Status: Answered Ans 1. Rare Chosen Option : X 2. Regular X 3. Worthless X 4. Priceless Section: General Intelligence/Reasoning Q.1 From the alternatives, select the word that cannot be formed using the letters in the given word. Question ID: 82666289 Status: Answered X 1 TURN Chosen Option : | X 2. DRY ✓ 3. DUSTER. X 4. STUDY Q.2 Select the related number from the given alternatives Question ID: 82666284 15:105::17:? Status: Answered Ans X 1. 126 Chosen Option 🧖 X 2. 136 X 3. 153 4. 119 Q.3 Select the one which is different from the other three alternatives. Question ID: 82666285 Diamond Status: Answered Chosen Option X 2. Bangle X 3. Ring X 4. Necklace Select the related word from the given alternatives Question ID: 82666283 Shoe: leather:: Table:? Status: Answered Ans X 1. Desk Chosen Option: ✓ 2. Wood X 3. Chair X 4. Carpenter Q.5 Arrange the following words in a meaningful order (ascending Order) Question ID: 82666291 1. Point 2. Triangle 3. Square 4. Angle 5. Line Status: Answered Ans 1. 1, 5, 4, 2, 3 Chosen Option 🚚 X 2. 2, 1, 4, 5, 3 X 3, 3, 2, 1, 5, 4 X 4. 4, 1, 5, 2, 3 Q.6 Question ID: 82666292

file:///C:/Users///Downloads/Qp%20(3).html

Status: Answered Choose the correct alternative that will complete the given series. 110, 99, 86, 71, 54, ? Chosen Option : -Ans X 1, 33 X 2. 39 X 3. 37 4. 35 Q.7 Introducing a boy, Anita said, "He is the son of the only child of my Question ID: 82666287 grandfather." How is Anita related to that boy? Status: Answered Ans X 1 Cousin Chosen Option : X 2. Niece 3 Sister X 4. Aunt Today Ravi came late to the school. Suman came twenty minutes later but Ajay reached five minutes before Ravi's arrival. Shrikant reached two minutes before Suman reached the school. Who was the last to Question ID: 82666290 Status: Answered Ans X 1 Srikant Chosen Option : X 2. Ravi 3. Suman X 4. Ajay Q.9 A class of boys stands in a single line. One boy is 22nd in order from both Question ID: 82666286 the ends. How many boys are there in the class? Status: Answered Ans 1.43 Chosen Option : X 2. 45 X 3. 44 X 4. 42 Select the relative word from the given alternatives. Question ID: 82666295 Breathe: Nose:: Walk:? Status: Answered Chosen Option X 1 Walking stick X 2. Pavement √ 3. Foot X 4. Crutch Q.11 What is related to 'Bird' in the same way as 'House' is related to 'Man'? Question ID: 82666294 Ans ✓ 1 Nest Status: Answered Chosen Option : × 2. Wings X 3. Hole X 4. Sky Q.12 What is related to 'Bus' in the same way as 'Rail' is related to 'Train'? Question ID: 82666282 Ans 1 Passenger Status: Answered Chosen Option : 2. Bus stand

√ 3. Road X 4. Conductor Q.13 Choose the Correct alternative that will complete the given series Question ID: 82666293 FIL, HKN, JMP, ? Status: Answered Ans ✓ 1. LOR Chosen Option : 4 X 2. LOM X 3. LON X 4. LOQ Q.14 If in a certain code language, UTENSIL is coded as WVGPUKN, how will TRIANGLE be coded in the Question ID: 82666288 Ans Status: Answered X 1 SQHZMFKD Chosen Option : √ 2. VTKCPING X 3. VTKBOHNG X 4. USJBOHMF Q.15 Select the related number from the given alternatives. Question ID: 82666296 62:30::84:? Status: Answered Chosen Option: Ans X 1. 43 X 2. 44 X 3. 42 4. 41 Section: General Aptitude/Numerical Ability Q.1 The first seven terms of an arithmetic progression are 7x+4, 9y, 7z+6, 4x+10, 3k, 3x+6, and k+12. The second, fifth and seventh terms of this progression form an infinite geometric progression. The sum of Question ID: 82666298 the terms of this geometric progression is: Status: Marked For Review Ans 1 162 Chosen Option : × 2. 106 X 3. 126 X 4. 180 Q.2 The price of an article increases by 10% every year. If the difference between the prices at the end of the 3rd year and the 4th year was Rs. 423.5, what was the price of the article at the end of second year? Question ID: 826662105 Status: Marked For Review Ans X 1 Rs 3465.9 Chosen Option : 2. Rs 4235 ✓ 3. Rs 3850 X 4. Rs 4658.5 Q.3 The profit percent of A and B is the same for selling an article for Rs. 8400 Question ID: 826662107 each, but A calculated his profit on the selling price while B calculated it on its cost price, which is equal to $33\frac{1}{2}\%$. The sum of their profit (in Rs.) is Status: Answered Chosen Option : 1. Rs 2800 2. Rs 4900 3. Rs 3500

X 4. Rs 2100

A and B undertook to do a piece of work for Rs. 48,000. A could do it alone in 5 days and B could do it alone in 8 days. With the help of C and D, they finished the work in 3 days. If the work done by C was twice that of the work done by D, then the difference between the shares of A and C was:

Ans

X 1 Rs. 12960

X 2. Rs. 34080

X 3. Rs. 20640

4. Rs 28000

Q.5 The sum of first 12 terms of the series

$$1^2 + (1^2 + 2^2) + (1^2 + 2^2 + 3^2) +$$
_____ is

Ans X 1. 2197

X 2. 2028

X 3. 1372

4. 2366

Q.6 $33\frac{1}{2}\%$ of a journey was covered at the speed of 20 km/hour, one-fourth at 30 km/hour and the rest at 50 km/hour. The average speed (in km/hour) for the whole journey was:

Ans

1. 30

 \times 2. $40\frac{1}{2}$

X 3. 32

 \times 4. 33 $\frac{1}{2}$

Q.7 The monthly incomes of A and B are Rs. 60000 and Rs. 48000 respectively. A saves $33\frac{1}{2}\%$ of his income and B spends 60% of his income. By what percent should A's savings be increased such that the ratio of expenditures of A and B gets reversed?

X 1 86.56

2. 96.32

× 3. 66.67

X 4. 93.33

Q.8 If the difference between the cost price and selling price of an article is Rs. x and the loss incurred is y% then the selling price of the article (in Rupees) is:

Ans

 \times 1. (50-y) $(\frac{x}{y})$

 \times 2. (100-y) $(\frac{y}{x})$

 \times 3. (50+y) $(\frac{x}{y})$

 \checkmark 4. (100-y)($\frac{x}{y}$)

To do a certain work, B takes four times as long A and C together and C takes three times as A and B Q.9 together. If all the three working together complete the work in 11 days, how long would A alone take to

Ans

1. 18 days

Question ID: 826662111

Status: Marked For Review

Chosen Option:

Question ID: 82666297

Status: Marked For Review

Chosen Option :

Question ID: 826662109

Status: Marked For Review

Chosen Option:

Question ID: 826662104

Status: Marked For Review

Chosen Option :

Question ID: 826662106

Status: Answered

Chosen Option

Question ID: 826662110

Status: Marked For Review

- X 2. 44 days
- X 3. 55 days
- 4. 20 days
- **Q.10** The expression $\left[\frac{1}{1-x} + \frac{3-5x^2}{1-x^2} \frac{4+5x}{1+x+x^2}\right] \times \frac{x^3-1}{2x^2}$, where x > 1, is equal to:

- X 2. 1
- X 3. 2
- X 4. 0
- **Q.11** If the 7^{th} term of an arithmetic progression is $\frac{1}{9}$ and its 9^{th} term is $\frac{1}{7}$, then its 63rd term is:
- Ans X 1. 2

 - X 3. 8
 - X 4. 3
- Q.12 Sudha can row her boat at a speed of 5 km/hour in still water. If it takes her $3\frac{15}{16}$ hours more to row the boat 10.5 km upstream than to return downstream, then the speed of the stream (in km/h) is:
- Ans

- \times 3. $2\frac{1}{2}$
- \times 4. $3\frac{1}{2}$
- If $x^2 = y + z$, $y^2 = z + x$ and $z^2 = x + y$, then the value of $\sqrt{\frac{1}{1+x} + \frac{1}{1+y} + \frac{1}{1+z}}$ is
- Ans X 1. 2
 - X 2. +1
 - \times 3. +2
- Q.14 The sum of the values of x for which
 - $7^{1+x} + 7^{1-x} = 50$, is
- Ans 1.0
 - X 2. -2
 - X 3. -1
 - X 4. 2
- Q.15 A spherical balloon of radius r metres subtends an angle θ at the eye of an observer. If the angle of elevation of its centre is α , then the height of the centre of the balloon is:
- \times 1. $rsin\frac{\alpha}{2}$ cosec θ

- Question ID: 826662101
 - Status: Marked For Review
- Chosen Option 5
 - Question ID: 82666299
 - Status: Marked For Review
- Chosen Option
 - Question ID: 826662108
 - Status: Marked For Review
- Chosen Option:

- Question ID: 826662102
 - Status: Answered
- Chosen Option :
 - Question ID: 826662100
 - Status: Answered
- Chosen Option

- Question ID: 826662103
 - Status: Not Attempted
- Chosen Option: --

 \times 2. $rsin \frac{\theta}{2} cosec \alpha$

 \times 3. rsin θ cosec $\frac{\alpha}{2}$

 \checkmark 4. rsin α cosec $\frac{\theta}{2}$

Section: General Knowledge/Awareness

Q.1 Zika virus is transmitted by the same species of mosquito whose infected bite causes:

Ans

√ 1. Dengue

X 2. Malaria

X 3. Filaria

X 4. Ebola fever

Q.2 The flow of displaced people towards European countries is still continuing. The majority of the migrants are from:

Ans

X 1 Saudi Arabia

X 2. Afghanistan

X 3. Iran

4. Syria

Q.3 The author of the book "To kill a mocking bird" died recently. She was:

Ans

X 1. Agatha Christie

X 2. Susan Sontag

X 4. Jane Austen

Q.4 Which of the following Indian rivers flows into the Arabian Sea?

Ans

✓ 1 Narmada

🔀 2. Brahmaputra

X 3. Ravi

X 4. Subarnarekha

Q.5 Which one of the following is NOT a pair of North Eastern states of India?

Ans

✓ 1 Assam and Bhutan

X 2. Arunachal Pradesh and Manipur

X 3. Tripura and Assam

X 4. Meghalaya and Mizoram

Q.6 The ancient Indian literature regarding herbal medicine is in

Ans

1. Charak Samhita

X 2. Maha Pariniryana Suttanta

Question ID: 826662118

Status: Answered

Chosen Option :

Question ID : 826662121

Status: Answered

Chosen Option 🥮

Question ID: 826662120

Status: Answered

Chosen Option :

Question ID: 826662116

Status: Answered

Chosen Option

Question ID: 826662115

Status: Answered

Chosen Option :

Question ID : 826662112

Status: Answered

X 3. Samveda X 4. Brighu Samhita Q.7 Which one of the following was NOT a Moghul emperor? Question ID: 826662113 Ans Status: Answered ✓ 1. Safdarjang Chosen Option : X 2. Humayun X 3. Jahangir X 4. Bahadur Shah II Q.8 Novak Djokovic, the winner of multiple Grand Slam Tennis tournaments, is from: Question ID: 826662117 Ans ✓ 1. Serbia Status: Answered X 2. Croatia Chosen Option : X 3. France X 4. England The first World War ended in the year: Question ID: 826662114 X 1 1945 Status: Answered Ans Chosen Option : X 2. 1857 X 3. 1706 4. 1918 Q.10 Recently a leopard wandered into a school in Bangalore. Such an unusual event is attributed to: Question ID: 826662119 X 1. Climate change Status: Not Attempted √ 2. Loss of habitat Chosen Option: --X 3. El nino X 4. Global warming